

APPLICATION TO DISCHARGE INDUSTRIAL WASTEWATER TO A PUBLICLY-OWNED TREATMENT WORKS (POTW)

This application is for a wastewater discharge permit for a discharge of industrial wastewater to a publicly-owned treatment works (POTW) as required by Chapter 90.48 RCW and Chapter 173-216 WAC. It is designed to provide the Department of Ecology with information on pollutants in the waste stream, materials that may enter the waste stream, and the flow characteristics of the discharge.

Information previously submitted to Ecology that applies to this application should be referenced in the appropriate section. Ecology may request additional information to clarify the conditions of this discharge.

SECTION A. GENERAL INFORMATION

1.	Applicant Name:					
2.	Facility Name:(if different from Applican					
3.	Applicant Mail Addre	Street				
4.	Engility I continu Add	City/State			Zip	
4.	Facility Location Add (if different from 3 above)					
		City/State			Zip	
5.	Latitude/longitude of	the facility:	6. UBI	Number		
	<u> </u>	" N°	'" W			
7.	Latitude/longitude of feet from facility loca	the point of discharg	ge to the municipal o	collection syste	em , if greater than 100 W	
8.	Contact person:					
Nar	me		_	Title		
Tel	ephone Number	Fax Number		E-Mail		
FOR	OFFICE USE ONLY	Check One:	New/Renewal	Modification]	
	1.1	Date Fee Paid	Application/ Permit No		ate Application ccepted	

9.	Check	: One:						
		Permit Renewal (including renewal of temporary permits)						
		Does this application request a greater amount of wastewater discharge, a greater amount of pollutant discharge, or a discharge of different pollutants than specified in the last permit application for this facility? YES NO						
	For permit renewals, the current permit is an attachment, by reference, to this application.							
		Permit Modification						
	Existing Unpermitted Discharge							
		Proposed Discharge						
		Anticipated date of discharge:						
superviews system, to the signification	ision in te the in or thos best of cant per	penalty of law that this document and all attachments were prepared under my direction or accordance with a system designed to assure that qualified personnel properly gather and aformation submitted. Based on my inquiry of the person or persons who manage the expersons directly responsible for gathering the information, the information submitted is, my knowledge and belief, true, accurate, and complete. I am aware that there are malties for submitting false information, including the possibility of a fine and/or for knowing violations.						
G:	J.	The state of the s						
Signature	r	Date Title						
<u> </u>								
Printed N	ame							

*Applications must be signed as follows: corporations, by a principal executive officer of at least the level of vice-president; partnership, by a general partner; sole proprietorship, by the proprietor. If these titles do not apply within your organization, the application is to be signed by the person who makes budget decisions for this facility.

The Department of Ecology is an equal opportunity agency and does not discriminate on the basis of race, creed, color, disability, age, religion, national origin, sex, marital status, disabled veteran's status, Vietnam Era veteran's status or sexual orientation.

If you need this document in an alternate format, please contact the Water Quality Program at (360) 407-6400. If you are a person with a speech or hearing impairment, call 711, or 800-833-6388 for TTY.

Page 2 of 17 ECY 040-177P (Rev. 3/04)

SECTION B. PRODUCT INFORMATION

facili	fly describe all manufact ity. Provide the applical Standard Industrial Cla.	ble Standard Industrial Classification <i>ssification Manual</i> , 1987 ed.).	(SIC) Code(s) for each activity
Descriptio	on:		
 			
			·
T int a	- 1 - ad arodu		
2. List	raw materials and produ		
. List	raw materials and produ Type	ects used at his facility: RAW MATERIALS	Quantity
2. List			Quantity
. List			Quantity
2. List			Quantity
2. List			Quantity
2. List			Quantity
2. List			Quantity
2. List	Туре	RAW MATERIALS	
2. List			Quantity Quantity
2. List	Туре	RAW MATERIALS	
2. List	Туре	RAW MATERIALS	
2. List	Туре	RAW MATERIALS	
2. List	Туре	RAW MATERIALS	
2. List	Туре	RAW MATERIALS	

ECY 040-177P (Rev. 3/04) Page 3 of 17

SECTION C. PLANT OPERATIONAL CHARACTERISTICS

1. For each process listed in B.1. that generates wastewater, list the process, assign the waste stream a name and an ID # and describe whether it is a batch or continuous flow.

Process	Waste Stream Name	Waste Stream ID#	Batch (B) or Continuous (C) Process
	e a schematic drawing showing product	•	-

2.	the facility, wastewater trea indicate the source of intak The treatment units should	te a schematic drawing showing atment devices and waste stream e water and show the operations be labeled. Construct a water bent units, and points of discharge)	ns as nan s contrib palance b	ned above. The uting wastewatery showing aver	drawing should or to the effluent. age flows between
3.	What is the maximum daily	discharge flow			gallons/day
	What is the maximum aver flow (daily flows averaged				gallons/day
1.		ewater treatment improvements for these improvements. (<i>Use a</i>			

Page 4 of 17 ECY 040-177P (Rev. 3/04)

5. If production processes are subject to seasonal variations, provide the following information. List discharge for each waste stream in gallons per day (GPD). The combined value for each month should equal the estimated total monthly flow.

	W 4 G4 ID#	MONTHS											
	Waste Stream ID#		F	M	A	M	J	J	A	S	0	N	D
	Estimated Total												
N	Ionthly Flow (GPD)												
_	***	1 1	.1.	C '1'		11				•		•	<u> </u>
6.	How many hours a d	•		•									
	How many days a w How many weeks p							<u>a</u> 9					
7	, ,	-			, ,		•			ra that		d an at	arad
1.	List all incidental m on site (<i>list only tho</i>					•		-					
	For solvents and sol	lvent-b	ased cl	leaners	, includ	de a cop	y of th	ie mate	rial saf	ety dat	a sheet		
	the quantity used. (Use ac	ldition	al shee	ts, if ne	cessar	v, and l	label a	s attack	ıment (C.7.)		
	Materials/Quantity	Store	d:										
8.	Some types of facility	ities ar	e requi	red to l	nave sp	oill or w	aste co	ontrol p	olans. I	Does th	is facil	ity hav	e:
	a. A Spill Prevent	ion, Co	ontrol,	and Co	unterm	neasure	Plan (4	40 CFR	R 112)?		YES		NO
	b. An Emergency	•		· ·							YES		NO
	c. A runoff, spilla	•		•	•				` / /		YES		NO
	d. Any spill or pol		•	•	•	iired by	local,	state o	r		YES		NO
	federal authorit										VEC		
	e. A Solid Waste I	_			CED 4	02 0/5/	(2)())()			YES		NO NO
	f. A Slug Dischar	ge Con	uroi Pl	an (40	CFK 4	03.8(1)	2)(V))'!	<i>!</i>			YES		NO

ECY 040-177P (Rev. 3/04) Page 5 of 17

SECTION D. WATER CONSUMPTION AND WATER LOSS

1.	Water source(s):				
	Public System (Specify)				
	Private Well	Surface Water			
	a. Water Right Permit Num	ber:			
	b. Legal Description of Wat	er Source:			
	1/4S,	_1/4E,, Section,	TWN,	R	
2.	Water use				
	a. Indicate total water use:	Gallons per day (average)			
		Gallons per day (maximum)			
	b. Is water metered?	YES NO			

Page 6 of 17 ECY 040-177P (Rev. 3/04)

SECTION E. WASTEWATER INFORMATION

l.	How are the water intake and effluent flows measured?					
	Intake:					
	Effluent:					

2. Provide measurements or range of measurements for treated wastewater prior to discharge to the POTW for the parameters with an "X" in the left column. Use the analytical methods given in the table unless an alternate method is approved by Ecology. All analyses (except pH) must be conducted by a laboratory registered or accredited by the Department of Ecology (WAC 173-216-125). If this is an application for permit renewal, provide data for the last year for parameters that are routinely measured. For parameters measured only for this application, place the values under "Maximum."

		Cor	ncentrations Measi	ıred	Analytical Method	Detection
X	Parameter	Minimum	Maximum	Average	Std. Methods 19th edition	Limit
	BOD (5 day)				5210	2 mg/l
	COD				5220 B, C, or D	5 mg/l
	Total Suspended Solids				2540D	1 mg/l
	Total Dissolved Solids				2540 C	
	Conductivity				2510 B	
	Ammonia-N				4500-NH ₃ C	20 μg/l
	рН				4500-Н	0.1 units
	Total Residual Chlorine				4500-C1 E	1 mg/l
	Fecal Coliform				9222 D	
	Total Coliform				9221 B or 9222 B	
	Dissolved Oxygen				4500-O C or 4500-O G	
	Nitrate + Nitrite-N				4500-NO ₃ E	0.5 mg/l
	Total Kjeldahl N				4500-N _{org}	20 μg/l
	Ortho-phosphate-P				4500-P E or 4500-P F	1 μg/l

ECY 040-177P (Rev. 3/04) Page 7 of 17

X	Parameter	Co	oncentrations Meas	sured	Analytical Method	Detection	
Λ		Minimum	Maximum	Average	Std. Methods 19th edition	Limit	
	Total-phosphate-P				4500-P B.4.	1 μg/l	
	Total Oil & Grease				5520 C	0.2 mg/l	
	Total Petroleum Hydrocarbon				5520 D, F		
	Calcium				3500-Ca B	3 μg/l	
	Chloride				4500-C1 C	0.15 μg/l	
	Fluoride				4500-F D	0.1 mg/l	
	Magnesium				3500-Mg B	0.5 μg/l	
	Potassium				3500-K B	5 μg/l	
	Sodium				3500-Na B	2 μg/l	
	Sulfate				4500-SO ₄ E	1 mg/l	
	Arsenic (total)				3114 B	2 μg/l	
	Barium (total)				3500-Ba B	30 μg/l	
	Cadmium (total)				3500-Cd B	5 μg/l	
	Chromium (total)				3500-Cr B	50 μg/l	
	Copper (total)				3500-Cu B	20 μg/l	
	Lead (total)				3500-Pb B	100 μg/l	
	Mercury				3500-Hg B	0.2 μg/l	
	Molybdenum (total)				3500-Mo	1 μg/l	
	Nickel (total)				3500-Ni	20 μg/l	
	Selenium (total)				3500-Se C	2 μg/l	
	Silver (total)				3500-Ag B	10 μg/l	
	Zinc (total)				3500-Zn B	5 μg/l	

Page 8 of 17 ECY 040-177P (Rev. 3/04)

YES NO	r parameters than those identified in question E.2.? E.4. This data must clearly show the date, method require additional testing.)					
the manufacturing process, or are they prese	Does this facility use any of the following chemicals as raw materials or produce them as part of the manufacturing process, or are they present in the wastewater? (The number following the chemical name is the Chemical Abstract Service (CAS) reference number to aid in identifying the					
If yes, specify how the chemical is used and	the quantity used or produced:					
	 					
VOL ATH	E COMPOUNDS					
Acrolein (107-02-8)	LE COMPOUNDS 1,1-Dichloroethylene (75-35-4)					
Acrylonitrile (107-13-1)	1,2-Dichloropropane (78-87-5)					
Benzene (71-43-2)	1,3-Dichloropropene (542-75-6)					
Bis (chloromethyl) Ether (542-88-1)	Ethylbenzene (100-41-4)					
Bromoform (75-25-2)	Methyl Bromide (74-83-9)					
Carpon Tetrachloride (10X-90-7)	Methyl Chloride (74-87-3)					
Carbon Tetrachloride (108-90-7) Chlorobenzene (108-90-7)	Methyl Chloride (74-87-3) Methylene Chloride (75-09-2)					
Chlorobenzene (108-90-7)	Methylene Chloride (75-09-2)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3) 1,2-Dichloroethane (107-06-2)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3) 1,2-Dichloroethane (107-06-2) Vinyl Chloride (75-01-4)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6) Trichlorofluoromethane (75-69-4)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3) 1,2-Dichloroethane (107-06-2) Vinyl Chloride (75-01-4)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3) 1,2-Dichloroethane (107-06-2) Vinyl Chloride (75-01-4) ACID -Chlorophenol 95-57-8	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6) Trichlorofluoromethane (75-69-4)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3) 1,2-Dichloroethane (107-06-2) Vinyl Chloride (75-01-4) ACID Chlorophenol 95-57-8 4-Dichlorophenol 120-83-2	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6) Trichlorofluoromethane (75-69-4)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Cichlorobromomethane (75-27-4) Cichlorodifluoromethane (75-71-8) Chlorodifluoromethane (75-34-3) Chloroethane (107-06-2) Chlorophenol (75-01-4) ACID Chlorophenol 95-57-8 Chlorophenol 120-83-2 Chlorophenol 105-67-9	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6) Trichlorofluoromethane (75-69-4)					
Chlorobenzene (108-90-7) Chlorodibromomethane (124-48-1) Chloroethane (75-00-3) 2-Chloroethylvinyl Ether (110-75-8) Chloroform (67-66-3) Dichlorobromomethane (75-27-4) Dichlorodifluoromethane (75-71-8) 1,1-Dichloroethane (75-34-3) 1,2-Dichloroethane (107-06-2) Vinyl Chloride (75-01-4)	Methylene Chloride (75-09-2) 1,1,2,2-Tetrachloroethane (79-34-5) Tetrachloroethylene (127-18-4) Toluene (108-88-3) 1,2-Trans-Dichloroethylene (156-60-5) 2. 1,1,1-Trichloroethane (71-55-6) 2. 1,1,2-Trichloroethane (79-00-5) 2. Trichloroethylene (79-01-6) Trichlorofluoromethane (75-69-4) COMPOUNDS 4-Nitrophenol 100-02-7 p-Chloro-M-cresol 59-50-7 Pentachlorophenol 87-86-5					

ECY 040-177P (Rev. 3/04) Page 9 of 17

METALS

Antimony 7440-36-0 Arsenic 7440-38-2 Beryllium 7440-41-7 Cadmium 7440-43-9 Chromium 7440-47-3 Copper 7440-50-8 Lead 7439-92-1 Mercury 7439-97-6 Nickel 7440-02-0 Selenium 7782-49-2 Silver 7440-22-4 Thallium 7440-28-0 Zinc 7440-66-6 Cyanide 57-12-5

PESTICIDES

Aldrin 309-00-2 alpha-BHC 319-84-6 beta-BHC 319-85-7 gamma-BHC 58-89-9 delta-BHC 319-86-8 Chlordane 57-74-9 4,4'-DDD 72-54-8 4,4'-DDE 72-55-9 4,4'-DDT 50-29-3 Dieldrin 60-57-1

Acenaphthene 83-32-9

Endosulfan I 115-29-7 Endosulfan II 115-29-7 Endosulfan Sulfate 1031-07-8 Endrin 72-20-8 Endrin Aldehyde 7421-93-4 Heptachlor 76-44-8 Heptachlor Epoxide 1024-57-3 PCB (7 Aroclors)

Toxaphene 8001-35-2

BASE/NEUTRAL COMPOUNDS

Acenapthylene 208-96-8
Anthracene 120-12-7
Benzidine 92-87-5
Benzo(a)anthracene 56-55-3
Benzo(a)pyrene 50-32-8
3,4 Benzofluoranthene 205-99-2
Benzo(ghi)Perylene 191-24-2
Benzo(k)fluoranthene 207-08-9
Bis(2-chloroethoxy) Methane 111-91-1
Bis(2-chloroethyl) Ether 111-44-4
Bis(2-chloroisopropyl) Ether 102-60-1
Bis(2-ethylhexyl) Phthalate 117-81-7
4-Bromophenyl Phenyl Ether 101-55-3
Butyl Benzyl Phthalate 85-68-7
2-Chloronaphthalene 91-58-7

4-Chlorophenyl Phenyl Ether 7005-72-3 Chrysene 218-01-9

Dibenzo(a,h)anthracene 53-70-3 1,2-Dichlorobenzene 95-50-1 1,3-Dichlorobenzene 541-73-1 1,4-Dichlorobenzene 106-46-7 3,3- Dichlorobenzidine 91-94-1 Diethyl Phthalate 84-66-2 Dimethyl Phthalate 131-11-3 Di-n-butyl Phthalate 84-74-2 2,4-Dinitrotoluene 121-14-2 2,6-Dinitrotoluene 606-20-2 Di-n-octyl Phthalate 117-84-0 1,2-Diphenylhydrazine 122-66-7

Fluoranthene 206-44-0 Fluorene 86-73-7

Hexachlorobenzene 118-74-1 Hexachlorobutadiene 87-68-3 Hexachlorocyclopentadiene 77-47-4 Hexachloroethane 67-72-1

Indeno(1,2,3-cd)pyrene 193-39-5 Isophorone 78-59-1 Naphthalene 91-20-3 Nitrobenzene 98-95-3

N-nitrosodimethylamine 62-75-9 N-nitrosodi-n-propylamine 621-64-7 N-nitrosodiphenylamine 86-30-6

Phenanthrene 85-01-8 Pyrene 129-00-0

1,2,4-Trichlorobenzene 120-82-1

Page 10 of 17 ECY 040-177P (Rev. 3/04)

6.	6. Are any other pesticides, herbicides or fungicides used at this facilit If yes, specify the material and quantity used:	y? YES NO
7.	7. Are there other pollutants that you know of or believe to be present. If yes, specify the pollutants and their concentration if known (attach laboratory analyses if available):	P YES NO
8.	8. Is the wastewater being discharged, or proposed for discharge, to the designated as a dangerous waste according to the procedures in Charles YES NO DON'T KNOW	
9.	9. If the answer to question 8 above is yes, how did the waste designate appropriate box)? For Listed and TCLP Characteristic Wastes only, also provide the I	-
	Listed Waste Dangerous Waste Number(s)	
	Characteristic Wastes Ignitable	
	State Only Dangerous Wastes	
	Toxicity	
	Persistent	
	For questions about waste designation under the <i>Dangerous Waste Regul</i> contact Ecology's Hazardous Waste and Toxics Program at:	lations, Chapter 173-303 WAC,
	Northwest Regional Office - Bellevue Southwest Regional Office - Lacey Central Regional Office - Yakima Eastern Regional Office - Spokane (425) 649-7000 (360) 407-6300 (509) 575-2490 (509) 329-3400	
	SECTION F. SEWER INFORMA	ATION
1.	1. Is an inspection and sampling manhole or similar structure available If yes, attach a map or hand drawing of the facility that shows the le (this may be combined with map in H8, if H8 is applicable to your face).	ocation of these structures

ECY 040-177P (Rev. 3/04) Page 11 of 17

SECTION G. OTHER PERMITS 1. List all environmental control permits or approvals needed for this facility; for example, air emission permits. SECTION H. STORMWATER 1.Do you have coverage under the Washington State Industrial Stormwater YES NO NPDES General Permit? If yes, list the permit number here. If no, have you applied for a Washington State Stormwater Baseline General YES NO Permit? If you answered no to both questions above, complete the following questions 2 through 5. 2. Does your facility discharge stormwater: (Check all that apply) To storm sewer system (provide name of storm sewer system operator:_____ Directly to any surface waters of Washington State (e.g., river, lake, creek, estuary, ocean). Specify waterbody name(s) Indirectly to surface waters of Washington State (i.e., flows over adjacent properties first). ___ To a Sanitary Sewer Directly to ground waters of Washington State via: Dry well Drainfield Other Areas with industrial activities at facility: (check all that apply) Manufacturing Building Material Handling Material Storage Hazardous Waste Treatment, Storage, or Disposal (Refers to RCRA, Subtitle C Facilities Only)

Page 12 of 17 ECY 040-177P (Rev. 3/04)

		Waste Treatment, Storage, or Disposal		
		Application or Disposal of Wastewaters		
		Storage and Maintenance of Material Handling	Equipme	ent
		Vehicle Maintenance		
		Areas Where Significant Materials Remain		
		Access Roads and Rail Lines for Shipping and	Receiving	9
		Other (please specify):		
1.	Mat	erial handling/management practices		
	a.	Types of materials handled and/or stored outdo	ors: (che	ck all that apply)
		Solvents		Hazardous Wastes
		Scrap Metal		Acids or Alkalies
		Petroleum or Petrochemical Products		Paints/Coatings
		Plating Products		Woodtreating Products
		Pesticides		Other (please list):
	b.	Identify existing management practices employ discharges: (check all that apply)	ed to red	uce pollutants in industrial stormwater
		Oil/Water Separator		Detention Facilities
		Containment		Infiltration Basins
		Spill Prevention		Operational BMPs
		Surface Leachate Collection		Vegetation Management
		Overhead Coverage		Other (please list):
5	Atta	ch a facility site man showing stormwater drain:	age/colled	etion areas disposal areas and discharge

5. Attach a facility site map showing stormwater drainage/collection areas, disposal areas and discharge points. This may be a hand-drawn map if no other site map is available (*See example on page 16 of this application*). Label this as attachment H.8.

ECY 040-177P (Rev. 3/04) Page 13 of 17

SECTION I. OTHER INFORMATION

Describe liquid wastes or sludges being generated by your facility that are not disposed of in the waste stream(s) and how they are being disposed of. For each type of waste, provide type of waste,				
nd	the name, address, and phone number of the hauler.			
_				
_				
_				
_				
D = 1	ouile a storre a cross for row materials, and deats, and mostes			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
Des	cribe storage areas for raw materials, products, and wastes.			
——————————————————————————————————————	cribe storage areas for raw materials, products, and wastes.			
	cribe storage areas for raw materials, products, and wastes.			
	cribe storage areas for raw materials, products, and wastes. ave you designated the wastes described above according to the applicable YES			


Page 14 of 17 ECY 040-177P (Rev. 3/04)

SECTION J. CERTIFICATIONS


1. Approval by Publicly-Owned Treatment Works [required by WAC 173-216-070(4)(b)] I approve of the discharge as described in this application. The applicant is: (Please check the appropriate box below.) A Significant Industrial User (see Definitions at the end of this Section) A Categorical Industrial User Neither of the above Name and location of sewer system to which this project will be tributary: Treatment Works Owner: Street: City/State: Zip: Date Signature of Treatment Works Authority Title Printed Name Application review by Intermediate Sewer Owner at point of discharge (if applicable) I hereby acknowledge that I have reviewed the application for discharge to this sewer system. Name and location of sewer system to which this project will be tributary: Sewer System Owner: Street: City/State: Zip: Signature of Sewer System Authority Date Title Printed Name

ECY 040-177P (Rev. 3/04) Page 15 of 17

Example 1 for application section C.2. (SCHEMATIC DIAGRAM)



Example 2 for application section F1 or H8 (FACILITY SITE MAP)



Page 16 of 17 ECY 040-177P (Rev. 3/04)

DEFINITIONS

Significant Industrial User (SIU)--

- 1) All industrial users subject to Categorical Pretreatment Standards under 40 CFR 403.6 and 40 CFR Chapter I, Subchapter N; and
- Any other industrial user that: discharges an average of 25,000 gallons per day or more of process wastewater to the POTW (excluding sanitary, noncontact cooling, and boiler blow-down wastewater); contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the POTW treatment plant; or is designated as such by the Control Authority on the basis that the industrial user has a reasonable potential for adversely affecting the POTW's operation or for violating any pretreatment standard or requirement (in accordance with 40 CFR 403.8(f)(6)).

Upon finding that the industrial user meeting the criteria in paragraph 2, above, has no reasonable potential for adversely affecting the POTW's operation or for violating any pretreatment standard or requirement, the Control Authority may at any time, on its own initiative or in response to a petition received from an industrial user or POTW, and in accordance with 40 CFR 403.8(f)(6), determine that such industrial user is not a significant industrial user.

Control Authority - means the Washington State Department of Ecology in the case of non-delegated POTWs or means the POTW in the case of delegated POTWs.

Categoric Industrial User (CIU): An industrial user subject to national categorical pretreatment standards promulgated by EPA (40 CFR 403.6 and 40 CFR parts 405-471).

Summary of Attachments That May be Required for This Application:				
(Please check those attachments that are included)				
C.1.	Production schematic flow diagram and water balance			
C.4.	Wastewater treatment improvements			
C.7.	Additional incidental materials			
E.5.	Additional results of effluent testing			
F.1.	Facility site map			
H.8.	Stormwater drainage map			

ECY 040-177P (Rev. 3/04)

Page 17 of 17